



# Mark Max ProContractor

Graco's top of the line Electric Sprayers for AIRLESS  
spraying of Paints, Fire Retardants and Airless Plasters



## WORK SMARTER THANKS TO THE LATEST INNOVATIONS

- Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds.
- Monitor the performance of your investment more easily – the LED display is bright and easy to read.
- Comfortable and time saving, the QuikReel<sup>™</sup> hose reel allows you to save time and money.

Texture Applications

**MARK IV<sup>™</sup> MAX PROCONTRACTOR - MARK V<sup>™</sup> MAX PROCONTRACTOR**  
**MARK VII<sup>™</sup> MAX PROCONTRACTOR - MARK X<sup>™</sup> MAX PROCONTRACTOR**



# Mark Max ProContractor

Top of the line in Electric Airless!

It's for **YOU**, the smart professional, that Graco keeps reinventing spray equipment technology. Because we know you're looking for the latest innovations to help you finish jobs faster, with less fuss and fatigue.

The **ProContractor Series** of our MARK MAX range include top of the line innovations, for top of the line professionals that aren't satisfied with "just" high quality technology, but demand more.

## Choose the right unit...

The MARK IV MAX is the optimal unit for large painting jobs for the inside as well as the outside! Versatile in applications, it is well suited for fire retardants and even the occasional plaster job can be tackled with this sprayer. Our well known MARK V MAX is a step up from that! Optimized for professionals that split their time between painting and plastering, and need the productive output this unit can deliver.

Delivering twice the performance of the MARK V MAX, the MARK X MAX ProContractor is strong enough to spray over 30.000 liters a year, and well equipped to handle the toughest airless plasters. Slightly too big for you?

Try the MARK VII MAX, you will be charmed by its price/performance ratio.

## ... and go for the ProContractor Series for ultimate comfort and luxury!

Have a look at the latest innovative features we added to the ProContractor Series of the MARK MAX range.

This is what distinguishes you from other professionals. This is where you save time and money. This is where you stand out.



**QuikReel™**

### QuikReel™ Integrated Hose Reel

Work more comfortably and more efficiently. Roll out and up in a few seconds up to 90m hose - spray in a range of 180m without moving the unit, and get in, out and on to the next job site faster!



**PRO CONNECT<sup>2</sup>**

### ProConnect<sup>2</sup>

Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds, saving valuable time.

**SMARTCONTROL™**

### SmartControl™ 3.0 with LED display

Protect and monitor your investment more easily, with the bright and easy to read LED display that shows the job/lifetime/liter counter and the self diagnostics provided by the new and improved "brains" of the unit - the SmartControl 3.0.



### FastFlush™

Save time cleaning your unit! The FastFlush pump cleaning system cleans the unit up to four times faster using only half the water.



**FastFlush.**

## Materials & Applications

The MARK MAX PROCONTRACTOR is a real multiple purpose unit for large painting jobs for the inside as well as the outside! Your top of the line buddy sprays airless plasters and most common paints.

The MARK MAX PROCONTRACTOR sprays latex, emulsions, acrylics, epoxies, blockfillers, fire retardants, intumescent and most common airless plasters. It even has enough performance to deliver the necessary flow for 2 people spraying simultaneously.



Watch our  
**application videos** at:  
<http://6.graco.eu.com>





All units  
equipped with  
30 METER  
hose



#### On-Board Toolbox

Convenient storage container keeps tools, tips, filters and accessories where you need them most.



#### Endurance™ Pump

Graco's proven and reliable piston pump technology with LongLife-V packings. QuickAccess™ intake valve to easily clean or clear debris. Spring loaded for better pump efficiency.

[www.graco.com](http://www.graco.com)


### WatchDog™ Pump Protection System

The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- Prevents dry pumping damage



Whether you're spraying paint or texture, Graco understands your needs and knows that it's all about production rate and flow. No matter the type and size of the job, there is a Mark sprayer in the ProContractor Series that will deliver the flow you want, to achieve the production rate you need!



### PLASTER SYSTEM

Extend your Mark Max sprayer to a fully complete plaster system with the 90 liter hopper and bag roller if you spray materials delivered in bags.



*SPRAY 700 m² in a day...*

... with a 2 man crew. Use the container suction set, pumping directly from a 500 or 1000 liter container delivered by your material supplier ... Extremely effective, especially if all built into a van or trailer.

### ! TIP

For improved pump performance when spraying paint, replace the ceramic ball in the lower pump with the SST ball (delivered free with the unit).





# Mark Max ProContractor Accessories

Get the most out of your equipment, using our professional accessories

## Improve your finishing quality



### Guns

|        |                                               |
|--------|-----------------------------------------------|
| 289605 | HD Blue Plaster gun (+ RAC X guard & 531 tip) |
| 245820 | HD Inline™ Plaster gun                        |
| 246468 | Flex Plus™ gun (+ RAC X guard & 517 tip)      |

### Easy Out™ Pump Filters

|        |                             |
|--------|-----------------------------|
| 244071 | 30 mesh, grey               |
| 244067 | 60 mesh, black (= standard) |
| 244068 | 100 mesh, blue              |
| 244069 | 200 mesh, red               |



### Inlet Strainer Mark V

|        |       |
|--------|-------|
| 189920 | metal |
|--------|-------|



### BlueMax™ II Hoses & Whips (230 bar)

|        |                            |        |               |
|--------|----------------------------|--------|---------------|
| 241275 | 3/8" x 30 m                |        |               |
| 240794 | 1/4" x 15 m                |        |               |
| 278499 | 1/2" x 15 m Fluid hose     |        |               |
| 240797 | 3/8" x 15 m (FBE)          |        |               |
| 238358 | 3/16" x 0.9 m              | 238959 | 3/16" x 1.4 m |
| 238359 | 3/16" x 1.8 m              | 191239 | 3/8" x 3.5 m  |
| 277249 | 1/4" x 0.9 m (BlueMax™ II) |        |               |



### Adapters

|        |                             |
|--------|-----------------------------|
| 159841 | 1/4" (F) x 3/8" (M) adapter |
| 189018 | 1/4" gun swivel (M) x (F)   |
| 207947 | 1/2" gun swivel             |
| 159239 | 1/2" x 3/8" (M) adapter     |



### TexSpray Kits

|        |                                                                                                       |
|--------|-------------------------------------------------------------------------------------------------------|
| 289611 | Kit HD Blue Plaster gun, 3/8" x 15 m hose, whip hose 1/4" x 90 cm, RAC X guard + 427 & 531 tip        |
| 289585 | Kit HD Inline Plaster gun, 1/2" x 15 m hose, whip hose 3/8" x 3.5 m, RAC X guard and WA1239 + 643 tip |



### ProContractor ProConnect² Pump Lower

|        |          |        |        |
|--------|----------|--------|--------|
| 16X418 | Mark IV  | 16X421 | Mark V |
| 16Y602 | Mark VII | 16X427 | Mark X |



### Hopper

|        |                 |
|--------|-----------------|
| 287987 | 90 liter hopper |
| 289587 | Bag roller      |

### Flexible Suction Kit

|        |                                             |
|--------|---------------------------------------------|
| 243167 | Container suction kit, 1" (25 mm) - paint   |
| 24M445 | Container suction kit, 2" (50 mm) - plaster |



### JetRoller™ System 0.5 m Heavy Duty Extension

| with Inline Gun |                          | without Inline Gun |              |
|-----------------|--------------------------|--------------------|--------------|
| 24V490          | roller 18 cm             | 24V492             | roller 18 cm |
| 24V491          | roller 25 cm             | 24V493             | roller 25 cm |
| 232123          | 1 m Heavy Duty extension |                    |              |



### RAC X Tip Extensions

|        |       |        |       |
|--------|-------|--------|-------|
| 287019 | 25 cm | 287020 | 40 cm |
| 287021 | 50 cm | 287022 | 75 cm |



### CleanShot™ RAC X Pole Gun

|        |       |        |        |
|--------|-------|--------|--------|
| 287026 | 90 cm | 287027 | 180 cm |
|--------|-------|--------|--------|



### Tips & Guards

|        |                                     |
|--------|-------------------------------------|
| PAAXXX | Blue RAC X professional airless tip |
| HDAXXX | Brown RAC X heavy duty tip          |
| WA12XX | RAC X WideRac, for big surfaces     |
| 246215 | RAC X guard                         |



### Liquids

|        |                  |
|--------|------------------|
| 206994 | TSL™ 0.25 l      |
| 253574 | Pump Armor™ 1 l  |
| 245133 | Pump Armor 3.8 l |



## ProContractor

### Unpack, plug & spray!

Ready to go, the Mark Max ProContractor Series ship complete and ready to spray! SmartControl™ 3.0, WatchDog™, FastFlush™, ProConnect 2™, QuikReel™, gun with Hand-Tite™ RAC X™ guard and tips, BlueMax™ II whip hose 0.90 m, BlueMax II hose 30 m, TSL™ 0.25 l, 197193 universal hammer tool, 111733 adjustable wrench and blue tool box. Everything completely assembled!

Find this unit at:

## Specifications



|                                               | MARK IV MAX<br>PROCONTRACTOR | MARK V MAX<br>PROCONTRACTOR | MARK V MAX<br>PROCONTRACTOR | MARK VII MAX<br>PROCONTRACTOR | MARK X MAX<br>PROCONTRACTOR |
|-----------------------------------------------|------------------------------|-----------------------------|-----------------------------|-------------------------------|-----------------------------|
| <b>Part Numbers:</b> for Euro version - 220 V | 16Y892                       | 16Y864                      | —                           | 16Y920                        | 16Y910                      |
| for Multi Cord version                        | 16Y893                       | 16Y865                      | —                           | 16Y921                        | 16Y912                      |
| for UK - 110 V                                | —                            | —                           | 16Y866                      | —                             | —                           |
| Max. Tip Size: with paint - plaster           | 0.031" - 0.033"              | 0.035" - 0.037"             | 0.039" - 0.041"             | 0.041" - 0.047"               | 0.045" - 0.051"             |
| Flow - l/min. (gpm)                           | 3.6 (0.95)                   | 4.3 (1.2)                   | 5.1 (1.35)                  | 6.0 (1.58)                    | 8.3 (2.2)                   |
| Max. Pressure - bar (PSI)                     | 230 (3300)                   | 230 (3300)                  | 230 (3300)                  | 230 (3300)                    | 230 (3300)                  |
| Hose                                          | 30 m x 3/8"                  | 30 m x 3/8"                 | 30 m x 3/8"                 | 30 m x 1/2"                   | 30 m x 1/2"                 |
| Whip Hose                                     | 0.9 m x 1/4"                 | 0.9 m x 1/4"                | 0.9 m x 1/4"                | 3.5 m x 3/8"                  | 3.5 m x 3/8"                |
| Gun                                           | Flex Plus                    | HD Blue Plaster             | HD Blue Plaster             | HD Blue Plaster               | Inline HD Plaster           |
| Tip Standard                                  | PAA425                       | PAA427/HDA531               | PAA427/HDA531               | HDA531/541                    | HDA531/541                  |
| Bare Weight - kg (lbs)                        | 49 (108)                     | 68 (151)                    | 68 (151)                    | 73 (160)                      | 81 (178)                    |
| Motor Type                                    | DC Brushless                 | DC Brushless                | DC Brushless                | DC Brushless                  | DC Brushless                |
| Motor Rating - kW (HP)                        | 1.5 (2.0)                    | 1.6 (2.2)                   | 2 (2.8)                     | 1.9 (2.5)                     | 3.0 (4.0)                   |

\* Flow rates vary with different plasters and environmental conditions. Smaller ceramic balls provide higher flow with plaster than SST balls with paint.