

# **GMax<sup>™</sup> II** ProContractor

**Top of the line Petrol-Powered Airless Sprayers** 



- Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds.
- Monitor the performance of your investment more easily the LED display is bright and easy to read.
- Comfortable and time saving, the QuikReel<sup>™</sup> hose reel allows you to save time and money.



# **GMax<sup>™</sup> II** ProContractor

**Petrol-Powered Airless Sprayers** 

It's for YOU, the smart professional, that Graco keeps reinventing spray equipment technology. Because we know you're looking for the latest innovations to help you finish jobs faster, and with less fuss and fatigue.

**The ProContractor Series** of our GMax II range include top of the line innovations, for top of the line professionals that aren't satisfied with "just" high quality technology, but demand more.

#### Choose the right unit...

The GMax II range is ideally suited for high production professional contractors who demand uninterrupted performance with freedom from electric power.

The GMAX II 3900 (120 cc) is the perfect sprayer for the professional paint jobs on new residential construction job sites.


The GMAX II 5900 is a step up from that. With its 160 cc Honda engine, it delivers the output you required for larger commercial paint projects.

Along with its high performance 200 cc Honda engine, the GMAX II 7900 HD is equipped with a heavy duty pump, and as such can easily spray all thicker coatings as well as the whole range of primers and paints.

# ... and go for the ProContractor Series for ultimate comfort and luxury!

Have a look at the latest innovative features we've added to the ProContractor Series of the GMAX II range.

This is what distinguishes you from other professionals. This is where you save time and money. This is where you stand out.






### **Materials & Applications**

The GMAX II PROCONTRACTOR series are ideal units to spray a full range of coatings on residential, commercial and industrial jobs.

Spray acrylics, primers, emulsions, waterborne and solvent based paints with the 3900 and 5900, or move up to the 7900 HD version and be able to handle most common anti-corrosive and fire retardant paints and airless plasters as well!







**GOOD TO KNOW** 

#### **EXTEND YOUR SPRAYING AUTONOMY**

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material.

You will save energy, time and money.



### ! TIP

# ALWAYS BEGIN WORKING AT LOW MATERIAL PRESSURE.

Slowly raise the pressure, but only to the minimum pressure required for a successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free with the unit).

## **WatchDog™ Pump Protection System**

The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

▶ Prevents dry pumping damage

Convenient storage container keeps tools,

tips, filters and accessories where you

need them most.



www.graco.com







# **GMax II** ProContractor Accessories

Get the most out of your equipment, using our professional accessories

## Improve your finishing quality



262114 Contractor™ Airless gun, RAC X™ guard, no tip TexSpray<sup>™</sup> blue gun with RAC X guard 289605

and RAC X 531 tip

245820 Inline™ 4-finger Plaster gun, 280 bar



#### **Tips, Guards and Air Nozzles**

Blue RAC X tip for paint **HDAXXX** 

Brown RAC X tip for spack, heavy coatings WAXXXX Wide RAC X tip for big surfaces, 120° angle

RAC X quard 246215



#### **RAC X Tip Extensions**

287019 25 cm 287020 40 cm 287021 50 cm 287022 75 cm



#### CleanShot™ RAC X Pole Gun

287026 90 cm 287027 180 cm



#### **Rollers Exterior (complete)**

6880095 30 cm fixed 098084 90-180 cm telescopic

098085 45-90 cm telescopic



#### Hoses (230 bar)

240794 1/4" x 15 m 240797 3/8" x 15 m 1/4" x 30 m 3/8" x 30 m 241275 223771

1/4" x 20 m 241272



#### Whips (230 bar)

238358 3/16" x 0.9 m 238959 3/16" x 1.4 m

238359 3/16" x 1.8 m



#### **Hose Connectors**

1/4" x 1/4" (M) x (M) 156971 157350 1/4" x 3/8" (M) x (M)



#### **Gun, Tip, Hose Kits**

Contractor gun, 1/4" X 15 m hose, 3/16" 288491

x 0.9 m whip, RAC X PAA621 tip, 248 bar 289611 TexSpray blue gun, 3/8" X 15 m hose, 1/4"

x 0.9 m whip, RAC X 531/427 tip, 276 bar 289585

Inline 4-finger plaster gun, 1/2" x 15 m hose, 3/8" x 3.6 m whip, RAC X 643 +

WA1239 tip, 280 bar



#### **ProContractor ProConnect<sup>2</sup> Pump Lowers**

16X414 **GMax II 3900** 16X419 **GMax II 5900** 16X421 GMax II 5900 HD 16X426 **GMax II 7900** 16X427 GMax II 7900 HD



#### **Additional Accessories**

90 liter hopper kit 287987 289587 Bag roller

24M445 Heavy duty container suction kit 40 cm 2" hose with 1" to DIN C clamp connectors.



#### **Easy Out™ Gun Filters**

287032 Easy Out oun filter, 60 mesh x 1 287033 Easy Out gun filter, 100 mesh x 1 287034 Kit: 60 mesh x 1 + 100 mesh x 1



#### **Easy Out™ Pump Filters**

30 mesh, grey 244071 244068 100 mesh, blue 244067 60 mesh, black 244069 200 mesh, red



#### **Liquids**

206994 TSL™ 0.25 I 253574 Pump Armor<sup>™</sup> 1 I 245133 Pump Armor 3.8 I



#### **GMax II** ProContractor

#### Unpack, plug & spray!

Ready to go, the GMax II ProContractor Series ship complete and ready to spray!

SmartControl™ 3.0, WatchDog™, ProConnect 2™, QuikReel™, gun with HandTite™ RAC X™ guard and tips, BlueMax™ II whip hose 0.90 m, BlueMax II hose 30m, TSL™ 0.25 liter, 197193 universal hammer tool, 111733 adjustable wrench and blue tool box.

Everything completely assembled!

Find this unit at:

## **Specifications**



	GMAX II 3900	GMAX II 5900	GMAX II 5900 HD	GMAX II 7900	GMAX II 7900 HD
I	PROCONTRACTOR	PROCONTRACTOR	PROCONTRACTOR	PROCONTRACTOR	PROCONTRACTOR
Part Numbers:	16W867	16W871	16W882	16W885	16W888
Max. Tip Size:	0.036"	0.043"	0.043"	0.048"	0.048"
Flow - I/min. (gpm)	4.7 (1.25)	6.0 (1.6)	6.0 (1.6)	8.3 (2.2)	8.3 (2.2)
Max. Pressure - bar (P	SI) 230 (3300)	230 (3300)	230 (3300)	230 (3300)	230 (3300)
Pump	Paint	Paint	HD Texture	Paint	HD Texture
Weigth - kg (lbs)	50 (110)	65 (143)	65 (143)	68.2 (150)	68.2 (150)
Engine Displacement H	londa <sup>®</sup> 120 cc	160 cc	160 cc	200 cc	200 cc
BlueMax™ II Hose	1/4" x 30m	1/4" x 30m	3/8" x 30m	3/8" x 30m	3/8" x 30m
Gun	Contractor	Contractor	HD Texture	Contractor	HD Texture
Tip Standard	PAA517	PAA517	PAA427/HDA531	PAA517	PAA427/HDA531
Rod	CrN	CrN	Chrome	MaxLife	Chrome
Sleeve	Chrome	Chrome	Chrome	MaxLife	MaxLife

© 2014 Graco BVBA · Form No. 300719ENEU (rev.B) · 08/14 · Printed in Europe.

Graco is certified ISO 9001.