

CLASSIC PC

Start-up range of Electric Airless Paint Sprayers
for Professional Painting Contractors



PROFESSIONAL ADVANTAGES

- Ideal for small to medium family housing and light commercial projects
- Graco 'Big' technologies in a compact size
- Finish every job, every day thanks to ProConnect™ fast pump replacement system

Painter Professional Airless Applications

CLASSIC 390 PC - Classic 390 PC Cordless - CLASSIC S 395 PC - CLASSIC S 495 PC

FINISH EVERY JOB, EVERY DAY

The next generation of **CLASSIC** sprayers have now been upgraded with ProConnect™. This fast and easy on-the-job pump replacement system, makes the most reliable small electric units even more valuable.

Proven Endurance™ pump technology on all **CLASSIC** models, makes it perfect for professionals who frequently spray a wide range of interior coatings.

The **CLASSIC 390 PC** with brush motor is a solid workhorse built for professionals just “starting out”. It’s the ideal sprayer for residential jobs.

The **CLASSIC 390 PC CORDLESS** with brushless motor gives you battery powered performance you can count on. This sprayer is the ideal fit for contractors looking for unmatched portability to spray anywhere.

The **CLASSIC^S 395/495** are the best choice for professionals looking for superior performance, control and extra comfort for daily use on residential jobs.

The **CLASSIC^S** feature the FTX™-E gun, variable speed motor and SmartControl™ 1.0, with electronic control for a consistent spray pattern at every pressure.

All Hi-Boy **CLASSIC** models are configured with a multifunctional cart version, offering pneumatic wheels, direct suction, a kick back, hose wrap and a convenient toolbox as a premium.

CLASSIC^S Comfortable Carrying
Offset handle with rubber comfort grip balances sprayer away from leg



Features



Swivel Inlet Suction Hose

- All aluminium construction is durable, lightweight and rust proof
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach paint buckets or cans



CLASSIC Frame

- Stands upright so it won't tip paint can over
- Attached big cup holds the inlet during transport to catch drips



Variable Pressure Control

(only CLASSIC 390 models)

Position indicator allows repeatable setting while spraying light-to heavier materials

GOOD TO KNOW EXTEND YOUR REACH!

JetRoller™

The ideal renovation tool

Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation. Uses commonly available 18 or 25 cm roller covers.

Benefits:

- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down
- Complete large jobs in half the time of traditional methods

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot™ Shut-Off™ valve, Inline™ gun, spray tip and guard.





Easy-Out™ Pump Filter

- Large filtering area reduces tip clogs and ensures a quality finish
- Inside out filter design filters won't collapse and cleans with only a few liters
- Vertical filter design removes simply with the cap, eliminates spill



SMARTCONTROL™

SmartControl™ 1.0

With variable speed control delivers consistent spray pressure.

Features



Semi-Pneumatic Wheels

Roll easily over rough terrain

Hi-Boy Exclusive Features

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose
- Comfortable inlet suction allows direct suction out of up to 30 liter buckets
- TiltBack™ easily allows one man bucket change and on board toolbox



Hopper

A convenient 5.7 liter hopper, compatible with all units.



! TIP

With a spare pump ready, you'll always be able to finish your job!



Exchange your pump easily **YOURSELF** in 3 steps in case any damage appears.

No more time wasted or money lost to labour charges on pump repairs.



1
Loosen the clamping nut



2
Open door and remove pump



3
Remove hose and suction tube

Features



Fast Pump Replacement

- 1-minute job site replacement
- Keeps you spraying instead of waiting for service
- No pins or parts to lose!

Corded or Cordless - You Choose.



The most powerful cordless sprayer ever built

Delivers the freedom to spray every job faster

THE SOLID CORDLESS WORKHORSE

CLASSIC 390 PC cordless includes all CLASSIC 390 PC corded features plus:

ULTIMATE POWER AND PORTABILITY

Powered By DEWALT

- High capacity 6ah 54 V FlexVolt batteries—spray up to 11.5 liters per battery charge
- Delivered complete with two batteries
- Fan-cooled fast charger—recharges battery in under 60 minutes

PROVEN PERFORMANCE AND EXTENDED BATTERY LIFE

Brushless DC Motor

- Powerful brushless DC motor provides extended battery run time
- Lightweight, compact design allows for increased portability
- Spray at lower pressure thanks to the RAC X™ Low Pressure (LP) Switchtip™ for extended battery runtime, less overspray, longest tip life

YOU CHOOSE YOUR POWER SOURCE!

BOTH Deliver Superior Performance

BOTH Spray the Same Materials and Applications

www.graco.com/cordless

Technical Specifications

All units ship complete and ready to spray with:

FTX™-E 4-finger gun, filters (gun + manifold), 240794 BlueMax™ II hose 1/4" x 15m, RAC X™ (LP517) tip and guard.



Model Name	CLASSIC 390 PC Stand	CLASSIC 390 PC Cordless Stand	CLASSIC 390 PC Hi-Boy	CLASSIC S 395 PC Stand	CLASSIC S 495 PC Hi-Boy
Part Numbers: for EURO Version (230 V)	17C348	25T863	17C349	17C361	17E025
for Multicord Version (230 V)	17C346	—	17C351	—	17E026
for UK (110 V)	17C347	25T943 (230 V)	—	17C359	—
Max. Working Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Max. Fluid Flow - l/min. (gpm)	1.8 (0.47)	1.8 (0.47)	1.8 (0.47)	2.0 (0.54)	2.3 (0.60)
Max. Tip Size - 1 gun	0.021"	0.021"	0.021"	0.023"	0.025"
Weight - kg (lbs)	14 (30)	14 (30)	14 (30)	19 (42)	33 (73)
Motor Rating - HP	5/8 DC	5/8 DC Brushless	5/8 DC	7/8 TEFC DC	1.0 TEFC DC
Power supply	Power cable	2x 54 V DeWALT™ FlexVolt 6.0 Ah battery	Power cable	Power cable	Power cable
Minimum Generator Requirement - W	4000	—	4000	4000	4000
Features: TiltBack™ / Bucket Hook	—	—	✓ / ✓	—	✓ / ✓
Toolbox / Hose Wrap	— / —	— / —	✓ / ✓	— / —	✓ / ✓
SmartControl™ version	—	—	—	1.0	1.0

Accessories

Get the most out of your equipment, using our professional accessories:

FTX™-E Guns  288438 FTX™-E gun with RAC X™ 517 tip, RAC X guard and 2 filters 262116 FTX™-E gun with RAC X™ 60 mesh filter, no tip			
Easy-Out™ Gun Filters  257129 30 mesh, grey 287033 100 mesh, blue 287032 60 mesh, black 257130 200 mesh, red			
Easy-Out™ Pump Filters  246425 30 mesh, grey 246382 100 mesh, blue 246384 60 mesh, black (= standard) 246383 200 mesh, red			
BlueMax™ II Hose  214698 3/16" x 7.5 m 241272 1/4" x 20 m 240794 1/4" x 15 m 257130 1/4" x 30 m			
Hose Connectors  156971 1/4" x 1/4" 157350 1/4" x 3/8"			
Whips (230 bar)  238358 3/16" x 0.9 m 238959 3/16" x 1.4 m 238359 3/16" x 1.8 m			
Blister Pack - ProConnect Pump Lower  17C489 Blister Pack, fits all Classic pc			
ProGuard™+  24W090 230V, CEE 7/7, shuko 24W755 230V, IEC320, multicord			

JetRoller™ System 0.5 m Heavy Duty Extension  with Inline™ Gun without Inline™ Gun 24V490 roller 18 cm 24V492 roller 18 cm 24V491 roller 25 cm 24V493 roller 25 cm 232123 1 m Heavy Duty extension			
Hopper 17H171 5.7 liter			
RAC X Tip Extensions  287019 25 cm 287021 50 cm 287020 40 cm 287022 75 cm			
CleanShot™ RAC X™ Pole Gun  287026 90 cm 287027 180 cm			
Rollers Exterior (complete)  6880095 30 cm fixed 098084 90-180 cm telescopic 098085 45-90 cm telescopic			
Roller Kit  245397 Fixed interior roller 50 cm - EvenFlow™ head 23 cm - Cover 12 mm - InLine™ gun			
Tips & Guards  LPXXX Green RAC X™ low pressure tip FFLPXXX Green RAC X™ Fine Finish low pressure tip WA12XX RAC X WideRac, for big surfaces 246215 RAC X guard			
Liquids  206994 TSL™ 0.25 l 253574 Pump Armor™ 1 l			
Batteries  20A163 DeWalt™ 54 V 6.0 Ah FlexVolt Battery 20A166 DeWalt™ Fan-cooled fast charger			

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO DISTRIBUTION BV Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen
Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • <http://www.graco.com>

©2015 Graco Distribution BV 300733ENEU (rev.B) 09/21 Printed in Europe.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.

